## INDEX TO VOLUME VII.

ACANTHIS hornemannii, 322. linaria, 114. 239.

Accipiter atricapillus, 231, 322. atricapillus striatulus, 53. cooperi, 36. 53, 81, 101, 112. velox, 53, 82, 112, 231, 309, 388.

Actitis macularia, 52, 83, 308, 321, 328, 332, 375. Ægialitis meloda, 328.

meloda circumcineta, 309. montana, 80. semipalmata, 309, 321, 374. vocifera, 52, 295, 333, 374, 375. 390.

wilsonia, 374, 375. Agelaius phæniceus, 114, 200, 288,

297, 341, 368. Aix sponsa, 390. Alauda arvensis, 388.

rufa, 150.

Alca torda, 203. Allen, J. A., To what extent is it Profitable to Recognize Geo-graphical Forms among North American Birds?, 1; Description of a New Species of Icterus from Andros Island, Bahamas, 343; notice of his 'Notes on a collection of Birds from Quito, Ecuador.' 380; notice of his 'List of Birds collected in Bolivia by Dr. II. II. Rusby,' etc., 381; notice of his 'On Cyclorhis viridis (Vieill.) and its Allies' etc., 382; notice of his 'Descriptions of New Species of South American Birds,' etc., 384; notice of his 'Remarks on Individual and Seasonal Variation in a Large Series of Elainea,' etc., 385; notice of his 'On the Maximilian Types of South American Birds in the American Museum of Natural History,' 386.

Amazilia fuscicaudata, 333. Amazilia tuscicatum, 269. Amblycercus solitarius, 269. Seventh Congress of the, 66.

American Ornithologists' Union Check-List of North American Birds, Second Supplement to the, 60.

Ammodramus caudacutus, 212, 290. caudacutus nelsoni, 56, 212,

caudacutus subvirgatus, 56, 212, 387. henslowii, 213, 240, 241.

leconteii, 76, 241. maritimus, 212, 289 maritimus peninsulæ, 66, 212. passerinus, 191.

passerinus perpallidus, 191.

peninsulæ, 66. princeps, 211. rostratus guttatus, 215.

samuelis, 215. sandwichensis, 191. sandwichensis alaudinus, 191.

sandwichensis savanna, 240, 311, 342.

savannarum passerinus, 191, 240, 241, 311, 242 savannarum perpallidus. 191.

Ampelis cedrorum, 83. 86, 110, 112, 125, 217, 278, 279, 290, 297. 369. garrulus, 82.

Amphispiza belli nevadensis, 296, 297. bilineata, 27.

Anabazenops immaculatus, 382.

Anas aberti. 275. americana, 48, 50, 283. 320. boschas, 48, 50, 320, 389. carolinensis, 297, 320. crecca, 294.

cyanoptera, 51. discors, 48, 51, 332, 393. Anas fulvigula, 88, 204. fulvigula maculosa, 61. maculosa, 61, 88. obscura, 394. penelope, 88, 204, 283, 397. strepera, 48, 50, 387. wyvilliana, 275.

Anous stolidus, 303, 306.

Anthony, A. W., notice of his 'New Birds from Lower California, Mexico,' 281. Anthothreptes phænicotis, 354. Anthreptes flavigaster, 355. phænicotis, 354. Anthus pensilvanicus, 114. rufus, 266.

Antrostomus carolinensis, 38, 80, 310. vociferus, 38, 83, 114, 199,

231, 279 Aphelocoma californica, 192. californica hypoleuca, 192. californica obscura, 63, 281. couchi, 192. cyanotis, 192. sieberii, 192. sieberii arizonæ, 29, 48, 192. sumichrasti, 192.

ultramarina, 192. woodhousei, 192. Aquila chrysaëtos, 37, 48, 53, 54. Ara hyacinthina, 131.

Arachnorhaphis flavigastra, 355. Arachnothera chrysogenys, 355. flavigastra, 355.

flaviventris, 355. Arbelorhina cærulea, 266. Archibuteo ferrugineus, 83. lagopus sancti-johannis, 322,

389, 395. Ardea candidissima, 221, 278, 395. cœrulea, 308, 327, 332, 374, 387, 392.

egretta, 221, 230, 332. herodias, 35, 277, 332, 337, 388, 397, 408. occidentalis, 222.

virescens, 35, 48, 308, 327, 332, 374, 375. wardi, 308.

Arenaria interpres, 309, 321, 395. Arundinicola leucocephala, 133, 269.

Asio accipitrinus, 322, 400. wilsonianus, 86. Atthis heloisæ, 215.

Atticora cyanoleuca montana, 382. Auk, Great, 201, 203.

Razor-billed, 203.

Auriparus flaviceps, 296, 297. Averill, C. K., Jr., The Evening Grosbeak in Connecticut, 211. Aythya affinis, 373 americana, 83.

BAGG, E., see Ralph, W. L. Baldpate, 50,283.

Bartramia longicauda, 332.
Batchelder, C. F., Recording the Number of Birds Observed, 216; The Snow Goose (Chen hyperborea nivalis) on the Coast of Maine, 284; Notes on Several Birds in the Catskill Mountains, 295; Helminthophila chrysoptera in Manitoba, 404. Becard, Xantus's, 62.

Bee-bird, 28. Bell, J. G., death of, 98.

Bellona exilis, 374, 375. Bendire, C. E., Notes on Pipilo fuscus mesoleucus and Pipilo aberti, their Habits, Nests and Eggs, 22; Megascops asio maxwellia, 91; A Second Nest and Eggs of Picicorvus columbianus taken in

Colorado, 92. Bent, A. C., Coccothraustes vespertina in Taunton, Massachusetts,

Bergtold, W. H., Coccothraustes vespertina in Erie County, N. Y., 209.

Berlepsch, H. v., notice of his 'Notes on some Neotropical Birds belonging to the United States National Museum, 275.

Bird, Butcher, 290. Cocoanut, 344. Egg, 306. Lettuce, 82.

Bittern, American, 51. Blackbird, Brewer's, 257. Crow, 114, 209.

Red-winged, 114, 288, 341, 368.

Yellow-headed, 257.

Blackcock, 390. Blanchard, R., notice of his 'De la Nomenclature des êtres organi-

Bluebird, 113, 120, 130, 200. Mountain, 264. Western, 264. Bobolink, 39, 120, 311.

Bob-white, 35, 396. Bolles, F., Barred Owls in Cap-

tivity, 101; Snake Skins in the Nests of Myiarchus crinitus, 288; Young Cedarbirds and Greatcrested Flycatchers in Captivity,

Bonasa umbellus, 36, 389, 390-398. umbellus togata, 393.

Booby, 307, 327. Botaurus lentiginosus, 51, 320. Brachyurus atricapillus, 357.

baudi, 356. cœruleus, 356. mülleri, 357. sordidus, 357. venustus, 356.

Brant, 391, 392.

Branta bernicla, 391, 392. canadensis, 284, 391, 392,

395, 396.
Brewster, W., the Little Brown
Crane (Grus canadensis) in Rhode Island, 89; Capture of a Canada Jay (Perisoreus canadensis) near Cambridge, Massachusetts, 91; Bullock's Oriole in Maine, 92; Recent Occurrence of the Turkey Vulture in Eastern Massachusetts, 204; Capture of a Third Specimen of the Barn Owl in Massachusetts, 205; Food of Young Hummingbirds, 206; The Purple Grackle at Charleston, South Carolina, 208; The Acadian Sharp-tailed Sparrow and Scott's Seaside Sparrow on the Coast of South Carolina, A New Subspecies of the Solitary Sandpiper, 377; Breeding of the Pileated Woodpecker in Worcester County, Massachusetts, 400.

Brimley, C. S., The Nesting of the Yellow-throated Warbler at Raleigh, N. C., 323.

Broadbill, 327. Brotogerys virescens 133. Bryant, W. E., notice of his ' Catalogue of the Birds of Lower California,' 281.

Buarremon gutturalis, 334. Bubo virginianus, 81, 83, 84, 286, 322, 391, 395.

virginianus subarcticus, 48, 54.

Buceros galeatus, 347.

Bull-bat, 38. Bunting, Cow, 114, 368. Indigo, 125, 243. Painted, 81. Busarellus nigricollis, 133. Buteo borealis, 36, 82, 84, 85, 205, 395 borealis calurus, 53, 225, 297. borealis harlani, 205, 285. brachyurus, 56, 64, 90. fuliginosus, 57, 64, 90. latissimus, 101, 333, 395. lineatus, 84, 392. lineatus alleni, 309, 339. swainsoni, 333, 390.

Buzzard, 36. Turkey, 36, 81, 83, 390, 392.

CACOPITTA atrigularis, 350. Cactornis brevirostris, 273. Cahoon, J. C., Seaside Sparrows at Monomoy Island, Cape Cod,

Calamospiza bicolor, 215. melanocorys, 27, 80, 215. Calcarius lapponicus, 239, 322, 395. pictus, 240.

Calichelidon cyaneoviridis, 265, 312. Calidris arenaria, 294, 308, 321, 374. Callipepla californica, 85. gambeli, 48, 52, 297, 393. squamata, 89, 216.

Calliste boliviana, 267. cayana. 267.

mexicana, 267. Callocalia fuciphaga, 358. linchii, 358.

Callothrus robustus, 334. Calopteryx ornatus, 270. Camarhynchus pauper, 273.

townsendi, 273 Camptolaimus labradorius, 199. Campylorhynchus affinis, 215. brunneicapillus, 297. hypostictus, 137

Cantwell, G. C., Shrikes of Minnesota, 213. Cardellina rubrifrons, 50, 261.

Cardinal, 125, 243. Cardinalis cardinalis, 82, 125, 200,

243, 305. cardinalis coccineus, 191. cardinalis igneus, 191, 215. igneus, 215. virginianus, 191.

Carpodacus cassini, 49, 252, 258. mexicanus frontalis, 48, 296. 297.

purpureus, 110, 239, 394. Cassicus persicus, 132, 269. Cassidix oryzivora, 269. Catbird, 110, 115, 129, 314. Catharista atrata, 36, 333 Cathartes aura, 36, 53, 81, 83, 84,

204, 223, 333, 390, 392.

T

Catherpes mexicanus punctulatus, 48, 296.

Ceblepyris culminata, 352. Cedarbird, 86, 110, 112, 290, 369. Centurus aurifrons, 215.

Ceophlœus pileatus, 37, 81, 109, 339, 389, 400. Cepphus grylle, 283.

Cercomacra hypolæna, 380.

Certhia familiaris americana, 83,

familiaris montana, 49, 262. jugularis, 354.

trigonostigma, 354. Certhidea cinerascens, 273.

Certhiola finschi, 274. Ceryle alcyon, 37, 111, 223, 310, 322, 328, 388.

cabanisi, 333. Chadbourne, A. P., Song of the Female Butcher Bird, 290.

Chætura pelagica, 38, 84, 111, 279, 391, 392.

Chalcoparia singalensis, 354. Chapman, F. M., on the Eastern Forms of Geothlypis trichas, 9; on the Winter Distribution of the Bobolink (Dolichonyx oryzivorus) with Remarks on its Routes of Migration, 39; Note on Cya-nocitta stelleri litoralis Maynard, 91; On the Changes of Plumage in the Bobolink (Dolichonyx oryzivorus), 120; notice of his paper on the genus Xiphorhynchus, 274; The Song of Helminthophila leucobronchialis, 291; see also Riker, C. B.

Chaptia maylayensis, 351. Charadrius dominicus, 321, 332, 389, 397.

squatarola, 230, 321. Charitonetta albeola, 320. Chat, Yellow-breasted, 22, 129. Chelidon erythrogaster, 110, 266,

279, 312, 335 Chen hyperborea, 284. hyperborea nivalis, 284.

Cherrie, G. K., Notes on the Nesting Habits of Several Birds at San José, Costa Rica, 233; Notes on Habits and Nesting of Vireo flavoviridis (Cass.), 329; North American Birds found at San José, Costa Rica, with Notes on their Migration. 331.

Chewink, 81, 83. Chickadee, 107, 108, 113, 114. Black-capped, 408.

Chickadee, Carolina, 119, 130. Hudsonian, 291, 407. Mountain, 263.

Chiroxiphia pareola boliviana, 382. Chlorophanes spiza cærulescens, 381.

spiza guatemalensis, 381. Chloropsis gampsorhynchus, 349. zosterops, 349.

Chondestes grammacus, 76, 191, 241. grammacus strigatus, 191,

259, 296. Chordeiles texensis, 333. virginianus, 38, 322. virginianus chapmani, 305. 310.

virginianus henryi, 48, 254. Chuck-will's-widow, 38, 80, 310. Cinclodes rivularis, 382.

Cinnyris jugularis, 354. Circus hudsonius, 82, 86, 296, 297, 322, 333, 395.

Cistothorus marianæ, 117. palustris, 83, 117, 291, 408. palustris paludicola, 297, 409. stellaris, 56, 117, 291. Cittocincla stricklandi, 348.

Clangula hyemalis, 320. Clark, H. L., Coccothraustes ves-pertina at Amherst, Massachus-

setts, 210. Clarke, W. E., On a Collection of Birds from Fort Churchill, Hudson's Bay, 319.

Clivicola riparia, 96.

Coccothraustes vespertina, 49, 80, 93, 209, 210, 211, 230, 238. 247-249. 289, 395-97. vespertina montana, 246, 257. 258.

Coccyzus americanus, 37, 310. erythrophthalmus, 333. minor, 375.

Cœreba cærulea. 381, 382. cærulea microrhyncha, 382. chloropyga. 266. dominicensis, 374. martinicana, 274.

portoricensis, 374, 375. Colaptes auratus, 38, 81, 82, 107, 109, 223, 322, 391, cafer, 48, 80, 254, 297

Colinus virginianus, 35, 85, 390, 392, 394-396, 398. virginianus floridanus, 339.

Columba fasciata, 52. leucocephala, 375. montana, 62.

Columbigallina passerina, 81, 84,

333, 374, 375. Colymbus auritus, 320. holbælli, 213. nigricollis californicus, 48,

Comeau, N. A., Additional Notes on the Probable Breeding of Saxi-cola wnanthe near Godbout, Province of Quebec, Canada, 294.

Compsothlypis americana, 18, 101,

127, 217, 313, 374, 375. Conopophaga rusbyi, 382. Contopus borealis, 48, 255, 334. pertinax, 215, 256. richardsonii, 49, 256, 334.

virens, 39, 328, 334. Conurus carolinensis, 388. Cooke, W. W., Evening Grosbeaks in Vermont, 210.

Cooper, J. G., Note on Pacific Coast Birds, 214.

Coot, American, 52. Copsychus adamsi, 346, 348. seychellarum, 348. stricklandi, 348.

Coracias sumatranus, 358. Cormorant, Double-crested, 55. Florida, 222, 223, 307.

Pallas's 276. Corvus americanus, 49, 82, 83, 84, 112, 124, 255, 256, 328, 329,

391, 292, 397. americanus floridanus, 311,

341. corax principalis, 124. corax sinuatus, 256, 296, 297. cryptoleucus, 256. javanensis, 355. ossifragus, 81, 223, 329.

Cory, C. B., Eggs of the Florida Dusky Duck, 204; On a Collection of Birds made during the winter of 1889-90, by Cyrus S. Winch, in the Islands of St. Thomas, Tortola, Anegada, and Virgin Gorda, West Indies, 373.

Corydon sumatranus, 358. Coues, W. P., Passer domesticus in Cape Breton, 212.

Cowbird, 81, 329, 390. Dwarf, 257.

Crane, 35.

Little Brown, 89.

Sandhill, 51. 89, 199. Whooping, 89. Creagrus furcatus, 273

Creeper, Black-and-white, 111, 335. Brown, 83.

Creeper, Rocky Mountain, 262. Criniger phæocephalus, 349. Crossbill, American, 239. Mexican, 258.

Red, 80. White-winged, 112, 239.

Crotophaga ani. 374, 375. sulcirostris, 333. Crow, 82, 83, 84, 112, 255, 391, 392,

397. American, 124, 256, 328. Carrion, 36. Fish, 81, 329.

Florida, 311, 341. Crymophilus fulicarius, 204, 230,

321. Cuckoo, Black-billed, 111. Yellow-billed, 37, 310.

Cyanocephalus cyanocephalus, 49, 257.

Cyanocitta cristata, 82, 112, 114, 124, 200. cristata florincola, 305. stelleri, 91. stelleri frontalis, 91. stelleri litoralis, 65, 91. stelleri macrolopha, 49, 215,

244, 256. Cyanospiza versicolor, 215. Cyanura macrolopha, 215. Cyclorhis albiventris, 383, 384.

altirostris, 383. atrirostris, 383 cearensis, 383, 384. flavipectus, 383, 384. flavipectus subflavescens, 383. flavipectus trinitatis, 383. flaviventris, 383, 384. flaviventris yucatanensis, 383. guianensis, 266, 383, 384. insularis, 383. ochrocephala, 383. viridis, 383, 384. wiedii, 383.

Cymbirhynchus nasutus, 357. Cymborhynchus macrorhynchus, 357.

Cyphorinus griseolateralis, 137. Cypseloides niger, 333. Cypselus comatus, 358. Cyrtonyx montezumæ, 48, 52.

DACNIS cayana, 266. egregia æquatorialis, 381. plumbea, 266.

Dafila acuta, 48, 51. bahamensis, 373.

Dendragapus canadensis, 321, 397. obscurus, 48, 52.

Dendragapus obscurus fuliginosus, |

Dendrochelidon comata, 358. longipennis, 359.

Dendrocolaptes chunchotambo, 176. eytoni, 165, 182. guttatus, 164, 170, 185. obsoletus, 164, 189. ocellatus, 164, 170. susurrans, 164, 171. tenuirostris, 164, 177

Dendrocopus pardalotus, 164, 173. Dendroica æstiva, 18. 81, 82, 127,

217, 322, 335. æstiva sonorana, 48. auduboni, 49, 261, 297. blackburniæ, 20, 127, 223, 231, 336.

cærulea, 19. 291, 313. cærulescens, 18, 217, 231, 313, 406, 410.

chrysopareia, 215. coronata, 19, 96, 223, 229, 313, 322, 336, 342.

discolor, 21, 107, 128, 217, 314, 325, 375.

dominica, 20, 97, 305, 313, 323.

dominica albilora, 20, 127, 305, 313. graciæ, 50, 261.

maculosa, 19, 111, 217. nigrescens, 48.

olivacea, 49, 261. palmarum, 20, 223, 229, 232.

305, 314, 322. palmarum hypochrysea, 20,

223, 229, 305, 314. pensylvanica, 111, 127, 217, 336, 404-407.

ruficapilla, 374, 375. striata, 19, 112, 217, 313, 322. tigrina, 18, 313.

vigorsii, 20, 128, 217, 232, 323.

virens, 20, 33, 34, 111, 128,

217, 223, 314. Dendrophila corallipes, 351. Dendrornis, 165.

albirostris, 161, 179. albisquama, 161, 172.

chunchotambo, 161, 164, 167, 169-171, 175, 177.

d'orbignyanus, 164, 167, 168, 182-184.

eburneirostris, 179.

elegans, 163, 165, 167, 177, 207, 208. erythropygia, 165, 166, 187-

Dendrornis erythropygia æquatorialis, 165, 168, 187.

eytoni, 165, 167, 168, 182. flavigaster, 161, 164-167, 178-181.

fraterculus, 161, 165, 171, 172. guttata, 166, 167, 168, 183-186.

guttatoides, 161, 164, 166, 168, 186, 208.

kieneri, 163. 165, 167, 169. lacrymosa, 161, 165-167, 181. lawrencei, 161, 165, 174, 175.

lawrencei costaricensis, 161, 165, 174, 175.

mentalis, 161, 165, 179. multiguttata, 161, 164, 166,

167, 175, 176. nana, 161, 163, 165-167, 174. obsoletus, 163, 167, 168, 189. ocellata, 163, 164, 167, 169-171, 175, 176, 177, 207, 208.

palliata, 163, 165-167, 169, 176, 178.

pardalotus, 163, 164, 166, 167, 173, 174, 184, 185.

peruana, 161. peruviana, 176.

polysticta, 163, 165-167, 182. punctigula, 161, 165, 166, 168, 188, 189

rostripallens, 161, 165, 166, 168, 183-186.

spixi, 163, 167, 177, 207, 208. susurrans, 163-167, 171-174.

tenuirostris, 164. triangularis, 161, 164, 167,

168, 187, 188. weddelli, 161, 165, 167-169, 176, 177, 208.

Dicæum trigonostigma, 354. Dickeissel, 243.

Diglossa sittoides, 381.

Dionne, C. E., notice of his 'Catalogue des Oiseaux de la Province de Québec, etc., 387.

Dissemurus brachyphorus, 351.

paradiseus, 351.

Diver, Red-throated, 88. Doan, W. D., notice of his 'Birds of West Virginia', 197.

Dolichonyx oryzivorus, 39-45, 120, 199, 311, 341. oryzivorus albinucha, 41.

Donacobius atricapillus, 137.

Dove, 36.

Ground, 81, 84. Mourning, 36, 53, 82.

Dowitcher, 400. Drymocataphus capistratoides, 350.

Drymocataphus nigricapitata, 350. Dryobates pubescens, 37, 109. pubescens fumidus, 65. pubescens oreœcus, 48, 62, scalaris bairdi, 48, 251, 297. villosus, 37, 109, 395. villosus audubonii, 37. villosus hyloscopus, 48, 251. villosus leucomelas, 322. Dryocopus eburneirostris, 164, 178. flavigaster, 179. Duck, Florida, 88. Florida Dusky, 204. Golden-eyed, 396. King, 397. King Eider, 88. Mottled, 61, 88. Ruddy, 51. Sea, 318. Shoal, 318. Velvet, 318. Wood, 390.

Dunlin, 321.

Dwight, J., Jr., The Horned Larks of North America, 138.

EAGLE, 112.

Bald, 37, 53, 85.

Golden, 37, 53, 54.

Sparrow, 37.

Sparrow, 37.
Eames, E. H., Food and Habits of the Ruby - throated Hummingbird, 286.

Ectopistes migratorius, 199, 216, 284, 322, 389, 393-395.

Edolius brachyphorus, 351. Egret, White, 221.

Eider, American, 315. King, 284. Pacific, 316.

Elænea cinerascens, 386. martinica, 374, 375. pagana, 235, 370, 385, 386. pagana albiceps, 385, 386. pagana martinica, 386. pagana subpagana, 386.

Elanoides forficatus, 36.
 Elliot, D. G., A Study of the Genus Dendrornis and its Species, 160;
 Remarks on Certain Species of Dendrornis, 207;
 A List of Birds from Northeast Borneo, with Field Notes by Mr. C. F. Adams, 346.

540. Elliott, H. W., Quiscalus quiscula eneus Killing and Catching Goldfish, 208.

Embernagra chlorura, 193. platensis, 193.

Empidonax acadicus, 37, 81, 84, 334.
bolivianus, 382
difficilis, 49, 256.
flaviventris, 334.
griseus, 62.
lawrencei, 384.
obscurus, 65.
pusillus, 256
pusillus frailfii, 81, 84.
wrightii, 65.
Empidonomus varius, 270.

Enicornis striata, 382. Ereunetes occidentalis, 227. pusillus, 321, 374. Eriocnemis aurea, 315,

cupreiventris, 315. Erismatura rubida, 48, 51. Euetheia bicolor, 374, 375. Eugenes fulgens, 402.

Eulampis holosericeus, 374, 375. Euphonia chlorotica, 267. crassirostris, 382. elegantissima, 334.

elegantissima, 334. laniirostris, 382. violacea, 266. Eurylaimus javanicus, 357. ochromelas, 357.

Euscarthmus ochropterus, 384. pelzelni, 384. striaticollis, 270.

FALCO caribbæarum, 374.
columbarius, 231, 310, 322,
375.
dominicensis, 374, 375.
femoralis, 216.
mexicanus, 53.
peregrinus anatum, 38, 54,
309, 322, 375.
rusticolus gyrfalco, 322.
sparverius, 37, 54, 223, 297,

310, 333, 339.
Falcon, Prairie, 53.
Faxon, W., The Hudsonian Chickadee (Parus hudsonicus) in Vermont and Massachusetts, 407; The Long-billed Marsh Wren, Maryland Yellowthroat, Nashville Warbler. and Great Blue Heron in Eastern Massachusetts in Winter, 408.

Finch, Bachman's, 82. Cassin's Purple, 252, 258. Grass, 111.

Purple, 110, 239.
Fisher, A. K., Capture of a Specimen of the Orange-crowned Warbler (Helminthophila celata) in the Vicinity of Washington, D.C., 96; The Appearance of the

Razor-billed Auk (Alca torda) on the Coast of North Carolina, 203; A Correction, 400. Flamingo, 221.

Flicker, 38, 109, 391. Red-shatted, 80, 254.

Yellow-shafted, 81. Fluvicola albiventris, 269. Flycatcher, Acadian, 39, 81, 84.

Coues's, 256. Crested, 39. Gray, 62.

Great Crested, 111, 113, 288,

290. Little, 256. Olive-sided, 255. Scissor-tailed, 80. Traill's, 81, 84. Western, 256.

Fly-up-the-creek, 327. Forbush, E. H., Evening Grosbeaks in Hampden County, Massachusetts, 210.

Formicarius analis, 382. cayennensis, 380.

Formicivora griseigula, 385. Foster, L. S., The Widgeon (Anas penelope) near Baltimore, Md., 283.

Francolinus vulgaris, 397. Fregata aquila, 281, 307. Fringilla chlorura, 193. Fulica americana, 52.

GADWALL, 50. Galbalcyrhynchus leucotis, 382. Galbula albirostris chalcocephala, 381.

Galeoscoptes carolinensis, 85, 110, 115, 129, 223, 295, 314, 393. Gallinago delicata, 321, 332, 388, 389, 390, 396, 398.

Gallinula galeata, 308. Gallinule, Florida, 308. Gelochelidon nilotica, 327. Geocichla interpres, 348. Geococcyx californianus, 48, 80. Geositta longipennis, 274. Geospiza conirostris, 273. media, 273.

Geothlypis agilis, 21.

formosa, 21, 34, 81, 129, 314, 336. macgillivrayi, 48, 336. philadelphia, 295, 336. trichas, 9-14, 21, 66, 76, 96, 129, 314, 336, 408. trichas ignota, 11-13, 21, 63, 66, 223, 305. trichas occidentalis, 10, 48, . 76.

Goethlypis, trichas roscoe, 9-14, 66. Geotrygon martinica, 90. montana, 62.

Glaucidium gnoma, 48, 54.

phalænoides, 333. Glaucionetta clangula americana, 396.

Glaucomyias thalassinoides, 353. thalassoides, 353

Glaucopis aterrimus, 356. Gnatcatcher, 324.

Blue-gray, 81, 119, 130, 314.

Western, 64. Godman, F. D., see Salvin, O. Goldana capistratoides, 350. Goldfinch, American, 80, 111, 124,

239. Arkansas, 258.

Goose, Snow, 284. Wild, 284, 391, 395.

Goshawk, Western, 53. Goss, N. S., The Mottled Duck in Kansas, 88; Phalænoptilus nuttalli nitidus Breeding in Kansas. Is it a valid Race or a Color Phase of P. nuttalli?, 286.

Grackle, Boat-tailed, 341. Bronzed, 368. Florida, 341. Purple, 208.

Gracula Javanensis, 355. Grallaria nigro-lineata, 380. Grebe, American Eared, 50.

Holbæll's, 213 Thick-billed, 86. Grosbeak, Black-headed, 244, 260.

Blue, 80, 82, 125. Cardinal, 82, 84. Evening, 80, 93, 209, 210, 211, 238, 246, 289, 395-397. Pine, 211.

Rose-breasted, 111, 243, 410. Western Evening, 258. Grouse, Canada, 397.

Dusky, 52. Ruffed, 36, 390-394, 398. Grus americana, 89.

canadensis, 86, 394. mexicana, 51, 89, 199.

Guara alba, 222. Guillemot, Black, 283. Guiraca cærulea, 80, 82, 125.

cyanea, 268. Gull, Black-headed, 327. Herring, 306. Laughing, 306, 326, 328. Little Sea, 410.

Summer, 327 Gurney, J. H., death of, 299. Gymnomystax melanicterus, 269. Gymnostinops yuracarium, 269.

HABIA ludoviciana, 111, 243, 334, 381, 410.

melanocephala, 49, 244, 260.

Habrura minima, 384. pectoralis, 384. superciliaris, 384.

Hadrostomus albiventris, 62. Hæmatopus galapagensis, 273. Haliæëtus leucocephalus, 37, 48,

53, 85, 112, 223. Harpactes diardi, 359. duvauceli, 359.

kasumba, 359. Harporhynchus cinereus, 215.

crissalis, 297. lecontei, 296, 297.

rufus, 107, 110, 115, 130, 200,

295, 369, 393. Hasbrouck, E. M., Picoides arcticus in Central New York, 206; Dendroica cærulea again in the District of Columbia, 291; Cisto-thorus stellaris at Washington,

D. C., 291. Hawk, American Sparrow, 37, 54,

310. Blue-tailed, 36. Broad-winged, 101.

Chicken, 36.

Cooper's, 36, 53, 81, 101, 112. Duck, 37, 54, 309. Ferrugineous Rough-legged,

83.

Fish. 81, 326. Florida Red-shouldered, 309,

339. Harlan's, 205. 285. Little Black, 64.

Marsh, 82, 86. Pigeon. 310.

Red-tailed, 36, 53, 82, 85, 205. Sharp-shinned, 53, 82, 309. Sparrow, 339.

Western Red-tailed, 255. Helinaia swainsonii, 16, 84, 90, 313,

403 Helminthophaga virginiæ, 215.

Helminthophila bachmani, 16, 313. celata, 18, 96, 290.

chrysoptera, 17, 127, 217,

335, 404. leucobronchialis, 291.

luciæ, 48. peregrina, 18, 335.

pinus, 17, 214, 313. ruficapilla, 107, 217, 408.

virginiæ, 215. Helmitherus vermivorus, 16, 34, 127, 313, 335.

Hemipus obscurus, 352. Hen, Mud, 328.

Wood, 37. Heron, Black-crowned Night, 51, 308, 327.

Blue, 388. Great Blue, 35, 337, 408. Green, 35, 308, 327. Little Blue, 308, 327.

Snowy, 221, 395. Ward's, 308.

Yellow-crowned Night, 308. Himantopus mexicanus, 81, 338.

Hirundo fuciphaga, 358. javanica, 354.

longipennis, 359. Hitchcock, F. H., The Philadelphia Vireo in Vermont, 403; Capture of a Second Specimen of the Warbler in Massa-Hooded

chusetts, 407 Hummingbird, 114.

Black-chinned, 255.

Broad-tailed, 54, 255. Rivoli, 403.

Ruby-throated, 38, 84, 206, 286, 310.

Hylactes castaneus, 382. Hyloterpe grisola, 351. Hypothymis azurea, 353.

occipitalis, 353.

IBIS, White, 222.

White-faced Glossy, 51.

Icteria virens, 22, 129, 191, 199, 337. virens longicauda, 48, 191.

Icterus bullocki, 92. croconotus, 267. cucullatus, 191.

cucullatus igneus, 191. cucullatus nelsoni, 191. galbula, 80, 85, 114, 199, 200, 201, 334, 368.

northropi, 344. spurius, 80, 81, 84, 230, 311,

334. Ictinia mississippiensis, 84, 85. Indigo-bird, 113

Ionornis martinica, 394. Irena crinigera, 349.

turcosa, 349. Ixos phæocephalus, 349.

JACKSNIPE, 390. Jay, Arizona, 29.

Belding's 63.

Blue, 82, 112, 114, 124, 200.

Canada, 91, 397. Gray, 389.

Long-crested, 244, 256.

Piñon, 257.

Jay, Rocky Mountain, 256. loe-ree, 125. Junco alticola, 193. cinereus dorsalis, 48, 252, 259. hyemalis, 82, 96, 110, 111, 112, 242, 322, 397. hyemalis oregonus, 297. hyemalis shufeldti, 289. oregonus shufeldti, 244. ridgwayi, 243. townsendi, 63, 281. vulcani, 193.

Junco, 96, 110, 111, 112. Red-backed, 48, 252, 259. Slate-colored, 242. Townsend's, 63.

KILLDERR, 52, 295. Kimball, R. E., Capture of the Hudsonian Chickadee in Worcester County, Mass., 291. Kingbird, 38, 111, 311, 328, 340, 368. Arkansas, 255.

Cassin's, 255. Gray, 311. Kingfisher, 111, 388.

Belted, 37, 310, 328. Kinglet, 113. Ruby-crowned, 97, 119, 263,

292. Kite, Mississippi, 85. Swallow-tailed, 36.

Kittocincla stricklandi, 348.

Lagorus lagopus, 321. lagopus alleni, 390. rupestris, 321. Lalage culminata, 352. Lampornis ellioti, 374. Lamprospiza melanoleuca, 267. Lanio atricapillus, 267.

Lanius borealis, 82, 290, 322, 390. coronatus, 352. ludovicianus, 14, 213, 342. ludovicianus excubitorides, 48, 213, 390. ludovicianus gambeli, 297.

Lantz, D. E., Habits of the Barred Owl, 286.

Lark, Desert Horned, 146. Dusky Horned, 153. Horned, 141. Mexican Horned, 149. Pallid Horned, 142. Prairie Horned, 86, 144. Ruddy Horned, 150. Scorched Horned, 148, 256. Shore, 85. Streaked Horned, 151. Texan Horned, 145.

Larus argentatus smithsoniansn, 306. atricilla,80, 306, 326, 327, 328. brachyrhynchus, 387. philadelphia, 82, 320.

Lathria cinerea, 382.

plumbea, 382. Lawrence, R. B., The Red Phalarope on Lake Erie, 204. Legatus albicollis, 270. Leistes guianensis, 269. Leptasthenura fuliginiceps boliviana, 382.

fuscescens, 382. Leptoptila erythrothorax, 133. Lettuce-bird, 124. Leucocerca perlata, 353. Leucosticte australis, 49, 258. Lewis, S., 'The Red-bellied Woodpecker in Northwestern New Jer-

sey, 206. Limosa fedoa, 393. hæmastica, 321. Linnæan Society of New York, notice of its 'Proceedings,' 387. Liosceles erithacus, 380.

Logcock, 109. Longspur, Lapland, 239. Painted, 240.

Smith's 240. Loomis, L. M., Observations on some of the Summer Birds of the Mountain Portions of Pickens County, South Carolina, 30, 124.

Loon, 85, 389, 393, 397. Lophocitta coronata, 352

Loxia curvirostra americana, 80. curvirostra minor, 228, 239. curvirostra stricklandi, 49, 258.

leucoptera, 112, 239, 322. Lucas, F. A., The Great Auk in the National Museum, 203; notice of his 'Notes on the Osteology of the Thrushes, Miminæ, and Wrens,' 277; see also Stejneger, L.

MABBETT, G., A Query in regard to the Least Tern, 410.

Macaw, Great Blue, 131. Mackay, G. H., Notes on Several Species of Water Birds at Muskeget Island, Massachusetts, 294; Somateria dresseri, the American Eider. 315.

Macrorhamphus griseus, 321, 393, 400 scolopaceus, 374.

Magpie, Black-billed, 80. Mallard, 50, 389.

Man-o'-war-bird, 307. Margarops fuscatus, 374, 375. Martin, Bank, 125.

Black, 125. Creek, 125. Purple, 125, 260. Western, 63.

Maynard, C. J., notice of his 'Eggs of North American Birds,' 280.

Meadowlark, 82, 84.

Western, 199, 257.
Mearns, E. A., Observations on the Avifauna of Portions of Arizona, 45; Addendum to 'A List of the Birds of the Hudson Highlands, with Annotations,' Capture of the Widgeon (Anas penelope) on the James River, Virginia, 88; New York City Owls, 90; Another Capture of the Widgeon (Anas penelope) on the Atlantic Coast, 204; Descriptions of a New Species and Three New Subspecies of Birds from Arizona, 243; Observations on the Avifauna of Portions of Arizona, 251.

Mecocerculus uropygialis, 384. Megalestris skua, 387.

Magarhynchus pitangua, 270, 333. Megascops asio. 83.

asio bendirei, 81. asio maxwelliæ, 80, 91.

Melanerpes aurifrons, 215, 401. carolinus, 38, 206, 223, 339, 402.

erythrocephalus, 38, 83, 84, 85, 231. 394.

formicivorus, 250, 251. formicivorus aculeatus, 249-

251, 253. formicivorus angustifrons,

215, 250, 251. formicivorus bairdi, 48, 249-251, 395.

torquatus, 48, 254. Meleagris gallopavo, 36, 376, 390, 391, 393, 394, 396, 397. gallopavo mexicana, 49, 52,

216, 376, 377. gallopavo osceola, 376.

mexicana, 216. Melopelia leucoptera, 216.

Melospiza fasciata, 199, 242, 329,

389, 409. fasciata fallax, 27. fasciata heermanni, 191. fasciata mexicana, 191. fasciata montana, 191. fasciata samuelis, 215.

Melospiza georgiana, 96, 242, 409. lincolnr, 242. lincolni striata, 63.

Menzbier, M. A., notice of his Ornithologie du Turkestan et des Pays adjacents,' 77.

Merganser americanus, 48, 50. serrator, 320.

Merganser, American, 50. Merriam, F. A., Was he a Philanthropist?, 404; Interesting Nesting Site of a Winter Wren (Troglodytes hiemalis), 407.

Merula fumigata, 135. migratoria, 82, 83, 86, 107, 110, 113, 120, 199, 322, 360, 391, 394, 396, 397. migratoria propinqua, 49,

264, 297.
Meyer, A. B., A Supposed New Species of Hummingbird in the

Royal Zoölogical Museum of Dresden, 315.

Micropalama himantopus, 321, 393. Micropus melanoleucus, 54, 255,

279, 297. Miller, G. S., Jr., Cape Cod Bird

Notes, 226.
Miller, J. H., The Great Gray Owl in Lewis County, New York, 206.

Milvulus forficatus, 80. tyrannus, 271, 333.

Mimus arenaceus, 135.

gilvus, 192. modulator, 136.

polyglottos, 30, 48, 115, 129, 192, 199, 200, 297, 343, 393. saturninus, 135.

Minor ornithological publications, 79, 198.

Mionectes oleagineus, 270. Miyothera cœrula, 356.

Mniotilta varia, 16, 111, 127, 217,

313, 335. Mockingbird, 115, 129, 199, 200, 343, 393.

Molothrus æneus, 192. ater, 80, 81, 114, 257, 329,

368, 390. ater obscurus, 257. bonariensis, 269.

robustus, 192. Morris, R. O., The Evening Grosbeak (Coccothraustes vespertina) near Springfield, Mass., 289. Mortimer, D., Notes on Habits of

a Few Birds of Orange County, Florida, 337.

Munia fuscans, 355. Muscicapa obscura, 352. obsoleta, 384. occipitalis, 353. pyrrhopterum, 353. Muscipeta incanescens, 384. paradisea, 353. Muscivora regia, 270. Myadestes obscurus, 200. townsendii, 98, 297, 408. Myiarchus crinitus, 39, 85, 111, 113, 288, 290, 334. ferox, 270. lawrencei olivascens, 49. nigriceps, 270. tyrannulus, 270. Myiodynastes solitarius, 270. Myiothera capistratoides, 350. Myiozetetes cayennensis, 270. sulphureus, 270.

NASICA albisquama, 164, 171.

beauperthuysii, 164, 171, 173.
chunchotambo, 176.
d'orbignyanus, 164, 182.
flavigaster, 179.
guttatoides, 164.
multiguttata, 164, 175.
obsoletus, 189.
susurrans, 171.
triangularis, 164, 187.
Nectarinia phænicotis, 354.
Nehrling, H., notice of his 'North

texensis, 235, 333. Myrmeciza pelzelni, 380.

Myrmochanes hypoleucus. 382.

Myrmotherula inornata, 380.

American Birds, 78.
Nesomimus macdonaldi, 273.
melanotis, 273.
personatus, 273.

Nighthawk, 38.
Florida, 310.
Western, 254.
Noddy, 303, 306.
Nonpareil, 81.

Nucifraga caryocatactes, 276.
caryocatactes macrorhynchos, 276.

Numenius hudsonicus, 321, 374. Nutcracker, Clarke's, 92, 256. Nuthatch, Brown-headed, 80, 85,

119, 130.
Florida White-bellied, 118.
Pygmy. 55, 83, 263.
Red-bellied, 113, 114.
Red-breasted, 263.
Slender-billed, 252, 262.
White-breasted, 80, 113, 130.
White-naped, 64.
Nyctala acadica, 48, 54, 90, 231, 395.

Nyctea nyctea, 215, 394, 395. Nycticorax nycticorax nævius, 51, 308, 327. obscurus, 274. violaceus, 277, 308, 332, 376.

Oceanodroma leucorhoa, 390. Octhœca flaviventris, 384. Oidemia americana, 318, 320. deglandi, 318, 394. Olor columbianus 230, 391. Oreomyza wilsoni, 275. Oreortyx pictus confinis, 61, 281.

Oriole, 114.
Bullock's, 92.
Orchard, 81, 311.
Oriolus xanthonotus, 351.
Ornithion cinerascens, 384.

napæum, 270. obsoletum, 384. Oroscoptes montanus, 297. Orthotomus borneonensis, 350. cinerascens, 350.

sepium, 350. Osprey, 341. American, 310, 328.

Ostinops decumanus, 132, 269. Otocoris alpestris, 139, 141-144, 157, 158, 322. alpestris adusta, 139, 146,

148-150, 157, 158, 256. alpestris arenicola, 139, 141, 144-147, 149, 150, 154, 157,

158, 256. alpestris chrysolæma, 139, 147-150, 157, 158, 297.

alpestris giraudi, 141, 145, 146, 151, 157, 158. alpestris insularis, 152.

alpestris leucolæma, 139, 141-144, 152, 154, 156, 157, 158.

alpestris merrilli, 139, 143, 146, 151-154, 157, 158. alpestris pallida, 139 151,

154, 155, 157, 158. alpestris praticola, 85, 86,

139, 141, 144-147, 152, 157, 158, 387. alpestris rubea, 141, 144, 148,

150, 151, 157, 158. alpestris strigata, 139, 141, 151-154, 157, 158. peregrina, 150.

Ovenbird, 21, 107, 108, 111, 128, 314, 336.

Owl, Acadian, 113.
American Barn, 90, 400.
American Hawk, 91.
American Long-eared, 86.
Barn, 82, 205, 400.

Owl, Barred, 101, 286, 328.
Burrowing, 85, 213.
California Mottled, 81.
Great Gray, 206, 395.
Great Horned, 81, 83, 84, 286, 391.
Hawk, 400.
Pygmy, 54.
Rocky Mountain Screech, 80.
Saw-whet, 54, 90.
Short-eared, 400.
Snowy, 394, 395.
Western Horned, 54.

Pachycephala grisola, 351.
Pachyrhamphus latirostris, 62.
niger, 382.
Pandion haliaëtus carolinensis, 48,
81, 310, 326, 328, 341, 394.
Parabuteo unicinctus harrisi, 333.
Park, A. F., The American Barn
Owl near Troy, New York, 400.
Parker, W. K., death of, 411.
Paroaria capitata, 382.
gularis cervicalis, 382.
Paroquet, Carolina, 388.
Partridge, 35.
Black, 397.
Gambel's, 52.
Massena 48. 52.

Gambel's, 52.
Massena 48, 52.
San Pedro, 61.
Scaled, 89.
Parula, 101.
Parus atricapillus, 107, 108, 114, 130, 304, 408.

Parus atricapillus, 107, 108, 113, 114, 130, 394, 408. bicolor, 34, 35, 81, 85, 119, 130. carolinensis, 34, 35, 119, 130. colletti, 275. cristatus, 275. gambeli, 49, 263. hudsonicus, 232, 291, 322, 407. inornatus griseus, 48, 55.

mitratus, 275. wollweberi, 48. Passer domesticus, 83, 200, 212, 342, 388, 392, 413. Passerculus guttatus, 215.

Passerella iliaca, 242, 398. Passerina ciris, 81.

cyanea, 113, 125, 243, 334versicolor, 215. Pelecanus californicus, 281.

fuscus, 222, 223, 307.
Pelican, Brown, 222, 223, 307.
Pennock, C. J., Note on the Nesting
of Buteo brachyurus at St. Marks,
Florida, 56.

Pericrocotus igneus, 352.

Perisoreus canadensis, 91, 322, 389, 397.
canadensis capitalis, 49, 256.
Peristera mondetoura, 385.
Petrel, Leach's, 390.
Petrochelidon fulva, 264, 265, 311.
lunifrons, 48, 396.

pyrrhonota, 194. Peucæa æstivalis bachmanii, 82, 242. arizonæ, 27. carpalis, 27.

cassini, 215. ruficeps boucardi, 48. Pewee, Western Wood, 256. Wood, 39, 328.

Phainopepla nitens. 296, 297. Phalacrocorax brasilianus, 274.

dilophus, 55. dilophus albociliatus, 281. dilophus floridanus, 222, 223, 307.

perspicillatus, 276. vigua, 274.

vigua mexicanus, 274. Phalænoptilus nuttalli, 254, 279, 286.

nuttalli nitidus, 286. Phalarope, Northern, 86. Red, 204.

Phalaropus lobatus, 86, 230, 321. Pheasant, 36. Philentoma pyrrhopterum, 353.

Philohela minor, 390-398. Philopopsis notata, 382. Phœbe, 39.

Phænicopterus ruber, 221. Phænicothraupis rhodinolæma, 267.

Phyllomyias berlepschi, 384. incanescens, 384.

Phyllornis javensis, 349. sonneratii, 349. viridis, 349.

Pica pica hudsonica, 80, 387. Picicorvus columbianus, 49, 92, 256. Picoides americanus, 322.

americanus dorsalis, 48, 252. arcticus 206.

Picolaptes notatus, 164, 175, 176. obsoletus, 189. obtectus, 382. ocellatus, 170. spixi, 164, 177.

Picus gairdnerii, 65. Pigeon, Band-tailed, 52. Wild, 284, 393-395.

Pinicola enucleator, 211, 322, 394, 395.

Pintail, 51.

Pipilo aberti, 22, 24, 26-29, 297. albigula, 215. chlorosoma, 194. chlorurus, 49, 193, 259. complexus, 194. erythrophthalmus, 30, 81, 83, 114, 125, 199, 231, 242, 295, 387. erythrophthalmus alleni, 80, 305. fuscus albigula, 23. fuscus crissalis, 23. fuscus mesoleucus, 22-27, 214, 215. macronyx, 194. maculatus megalonyx, 48, 82. mesoleucus, 23, 215. rutilus, 194. Pipit, American, 114. Pipra auricapilla, 381. Piranga æstiva, 191. cooperi, 191. erythromelas, 112, 125, 199, 311. hepatica, 49, 215, 260. ludoviciana. 49, 55, 260. rubra, 55, 82, 125, 191, 311, 335, 387. rubra cooperi, 191. Pitangus derbianus, 333. lictor, 270. sulphuratus, 270. Pithys albifrons, 381. peruvianus, 381. Pitta baudi, 356. cœrulea, 356. mülleri, 357. sordida, 357. venusta, 356. Pitylus grossus, 267. Platylophus coronatus, 352. Platypsaris albiventris, 62. Platyrhynchus bifasciatus, 384. insularis, 384. Platysmurus atterimus, 356. Plautus impennis, 199, 201, 203. Plectrophanes nivalis, 215. Plectrophenax nivalis, 215, 322, 395. Plegadis guarauna, 51. Plover, Belted Piping, 309. Golden, 389, 397. Killdeer, 390. Piping, 328. Semipalmated, 309.

Podilymbus podiceps, 86, 375.

Pæcilonetta galapagensis, 273. Poling, O. C., Notes on the Fringillidæ of Western Illinois; 238;

Notes on Eugenes fulgens, 402.

229, 314, 324. cærulea obscura, 64. plumbea, 296, 297. Polyborus cheriway, 333. Poocætes gramineus, 111, 240. gramineus confinis, 49, 259. Poor-will, 254. Dusky, 286. Frosted, 286 Porphyrospiza cærulescens, 384. cyanella, 384. Porzana carolina, 48, 51, 81, 321, 332, 388. jamaicensis, 400. noveboracensis, 389. Procnias tersa. 381. viridis, 381. viridis occidentalis, 381. Progne cryptoleuca, 66. subis, 49, 83, 125, 192, 260, subis cryptoleuca, 66. subis hesperia, 63. Protonotaria citrea, 16, 313, 335. Psaltriparus minimus californicus, 82. plumbeus, 48. Pteroptochos albifrons, 382. magellanicus, 382. Publications received, 86. 201, 282, 398. Puffinus cinereus, 387. cuneatus, 275. knudseni, 275. Pyrotrogon diardi, 359. duvauceli, 359. kasumba, 359. Pyrrhuloxia sinuata, 215. QUAIL, 339, 395, 396, 398. Quail-dove, Key West, 90. Ruddy, 62. Quiscalus major, 341. quiscula, 208. quiscula æneus, 77, 83. 114. 208, 322, 368. quiscula aglæus, 341. RAGSDALE, G. H., Melanerpes au-rifrons in Young Co., Texas,

Polioptila cærulea, 48, 81, 119, 130,

RAGSDALE, G. H., Melanerpes aurifrons in Young Co., Texas,
in 1878, 401.
Rail, Clapper, 327.
Little Black, 400.
Sora, 81.
Yellow, 389.
Rallus crepitans, 64.
crepitans saturatus, 65.
longirostris crepitans, 64, 327.

Rallus longirostris saturatus, 65. longirostris scottii, 65. scottii, 65.

Ralph, W. L., and Bagg, E., Additional Notes on the Birds of Oneida County, New York, 229. Raven, 124.

American, 256. White-necked, 256.

Razorbill, 327.

Redbird, 125. Piny Woods, 125. Summer, 82.

Redhead, 83. Redpoll, 114, 239.

Red-shanks, 306. Redstart, 22, 111, 200, 404-406.

American, 314. Painted, 261.

Regulus calendula, 49, 97, 119, 263, 292, 322.

satrapa, 113, 232. Rhamphocœlus jacapa, 267. Rhipidura perlata, 353. Rhodinocichla rosea, 194.

rosea schistacea, 194.

Rhynchocyclus ruficauda, 270.

Rice-bird, 341. Ridgway, R., notice of his 'Ornithology of Illinois,' 74; Buteo bra-chyurus and B. fuliginosus, 90; Intergradation between Zonotrichia leucophrys and Z. intermedia, and between the latter and Z. gambeli, 96; Salvin and Godman's 'Biologia Centrali-Americana'-Aves, 189; Harlan's Hawk a Race of the Redtail, and not a Distinct Species, 205; notice of his 'Review of the Genus Xiphocolaptes of Lesson,' 271; notice of his 'Review of the Genus Sclerurus of Swainson,' 272; notice of his papers on birds from the Galapagos Islands, the Abrolhos, the Island of Santa Lucia, and from the Straits of Magellan, 273, Junco hyemalis shufeldti in Maryland, 289; A Yellow-crowned Regulus calendula, 292. Riker, C. B., A List of Birds ob-

served at Santarem, Brazil, with Annotations by F. M. Chapman, 131, 265.

Road-runner, 80.

Roberts, T. S., Notes on some Minnesota Birds, 213.

Robin, 82, 83, 86, 107, 110, 113, 120, 360, 391, 394, 396, 397. Western, 264.

Rudolf, Crown Prince of Austria, notice of his 'Notes on Sport and Ornithology,' 196. Rynchops nigra, 306, 327.

SAGE, J. H., Black Guillemot in Connecticut, 283. Salpinctes obsoletus, 49, 54, 262.

Saltator magnus, 267.
Salvin, O., and Godman, F. D., notice of their Biologia Centrali-Americana, 189.

Sanderling, 294, 308. Sandpeter, 306. Sandpiper, Baird's, 89.

Cinnamon Solitary, 377. Least, 308. Red-breasted, 294.

Solitary, 377. Spotted, 52, 83, 308, 328. Sapsucker, Williamson's, 252.

Yellow-bellied, 310. Saunders, H., notice of his 'Illus-

trated Manual of British Birds,' Saxicola œnanthe, 294.

Sayornis phæbe, 39.

saya, 48, 228, 296, 297. Sclater, P. L., notice of his Catalogue of the Tracheophonæ, 379. Scolecophagus carolinus, 322.

cyanocephalus, 49, 257. Scolopax rusticola, 393.

Scoter, 318.

Scotiaptex cinerea, 206. Scott, W. E. D., A Summary of Observations on the Birds of the Gulf Coast of Florida, 14, 114; The Key West Quail-dove ( Geotrygon martinica) at Key West, 90; An Account of Flamingoes (Phænicopterus ruber) observed in the Vicinity of Cape Sable, Florida, 221; Two Species of Swallow New to North America, 264; On Birds observed at the Dry Tortugas, Florida, during parts of March and April, 1890, 301; Description of a New Subspecies of Wild Turkey, 376; The Little Black Rail (Porzana jamaicensis) at Key West, Florida, 400.

Scytalopus bolivianus, 382.

Seiurus aurocapillus, 21, 34. 107, 108, 111, 128, 223, 314, 336. motacilla, 21, 34, 128, 230, 336.

noveboracensis, 21, 223, 314,

Seiurus noveboracensis notabilis,

Sennett, G. B., A New Wren from the Lower Rio Grande, Texas, with Notes on Berlandier's Wren of Northeastern Mexico, 57; The King Eider (Somateria spectabilis) at Erie, Pennsylvania, 88; notice of his Bird Legislation, 282.

Setophaga picta, 50, 257, 261. ruticilla, 22, 111, 200, 314, 337, 375, 404-406.

Shearwater, 327.
Shick, C. S., Birds found Breeding
on Seven Mile Beach, New Jersey, 326.

Shoveller, 51. Shrike, Loggerhead, 342.

Shufeldt, R. W., The American Hawk Owl near Washington, D. C., 91; Note upon Coccothraustes vespertina as a Cagebird, 93; notice of his 'Osteological Studies of the Subfamily Ardeinæ,' 277; notice of his 'On the Position of Chamæa in the System,' 278; notice of his 'Studies of the Macrochires,' 278; of his paper on the osteology of the North American Passeres, 279.

Sialia arctica, 49, 264. mexicana, 264, 296, 297. mexicana anabelæ, 66, 281. sialis, 84, 85, 113, 120, 130, 199, 200, 396. sialis azurea, 191. sialis guatemalæ, 191.

Siphia beccariana, 353. Siskin, Pine, 239, 258.

Sitta canadensis, 49, 113, 114, 229, 232, 263.

carolinensis, 80, 113, 118, 130, 322. carolinensis aculeata, 49, 252,

262. carolinensis atkinsi, 118. pusilla, 34, 80, 85, 119, 130. pygmæa, 49, 55, 83, 263. pygmæa leuconucha, 64, 281.

Skimmer. Black, 306, 327. Snipe, 398.

English, 389. Snowbird, Black, 82.

Somateria dresseri, 204, 315. mollissima, 316. spectabilis, 88, 284, 397. v-nigra, 316.

Sora, 51.

Sparrow, Acadian Sharp-tailed, 212. Bachman's, 242.

Chipping, 124, 241, 329. Clay-colored, 242. English, 388.

European, 388. European House, 413. Field, 96, 111, 124, 214, 242.

Forbush's, 63. Fox, 242, 398.

Grasshopper, 240, 311, 342. Harris's, 241.

Henslow's, 213, 240, 241.

House, 83, 212, 342. Intermediate, 259.

Ipswich, 211. Lark, 241. Leconte's, 241.

Lincoln's, 242. Nelson's, 56, 241.

Savanna, 240, 311, 342. Scott's Seaside, 212. Seaside, 289.

Sharp-tailed, 290. Song, 242, 329, 389, 409. Swamp, 96, 242, 409. Tree, 241, 409.

Vesper, 240. Western Chipping, 259. Western Lark, 259.

Western Vesper, 259. White-crowned, 96, 111, 241,

259. White-throated, 96, 110, 111, 112, 241, 295, 409. Yellow-winged, 241.

Spatula clypeata, 48, 51.

Spelman, H. M., Wintering of the
Red-winged Blackbird near Cam-

bridge, Mass., 288. Speotyto cunicularia hypogæa, 85,

87, 280, 297. Spermestes fuscans, 355.

Sphyrapicus varius, 101, 109, 305, 310, 322, 394.

varius nuchalis, 310. thyroideus, 48, 252.

Spinus pinus, 49, 231, 239, 257, 258. psaltria, 49, 258, 297. psaltria arizonæ, 258.

tristis, 80, 82, 111, 124, 199, 229, 231, 239, 246. tristis pallidus, 244.

Spiza americana, 229, 243, 334. Spizella atrigularis, 48. monticola, 241, 322, 409.

pallida, 76, 242. pusilla, 96, 111, 124, 199, 214, 242.

pusilla arenacea, 214.

Spizella socialis, 124, 191, 241, 329. socialis arizonæ, 49. 191. 259. Sporophila castaneiventris, 268.

lineata, 268. minuta, 268.

Squawk, 327. Stachyris nigricollis, 350.

Stejneger, L., notice of his papers on the European Titmice, 275; notice of his papers on Hawaian birds, 275; notice of his 'Review of Japanese Birds,' 276.

Stejneger, L., and Lucas, F. A., notice of their Contributions to the History of Pallas's Cormorant,' 276.

Stelgidopteryx serripennis, 48, 81,

Stephens, F., A New Vireo from Birds California, 159; Notes on Birds Observed in the Colorado Desert in Winter, 296.

Stercorarius parasiticus, 320. pomarinus, 320.

Sterna antillarum, 306, 327, 410. dougalli, 327. forsteri, 327. fuliginosa, 306. hirundo, 327 maxima, 306, 374.

paradisæa, 94, 320. Stilt, Black, 81.

Black-necked, 338. Stone, W., The Delaware Valley Ornithological Club, 298. Stoparola thalassinoides, 353. Strix pratincola, 82, 90, 205, 400.

Sturnella hippocrepis, 192. magna, 80, 82, 192, 199. magna mexicana, 192. 334. magna neglecta. 49, 76, 77, 84, 192, 199, 25

Sublegatus virescens, 384.

Sula gossi, 273. sula, 307.

Surnia ulula, 215. ulula caparoch, 91, 322, 400.

Swallow, Bahaman, 265, 312. Bank, 96.

Barn, 110, 312. Chimney, 38, 392. Cliff. 396.

Cuban Cliff, 264. 265, 311. Rough-winged. St, 125.

Sea, 327. Tree, 312.

Violet-green, 54, 260. Swan, Whistling, 391.

Sweep, Chimney, 38.

Swift, III.

Chimney, 38, 84, 391. White-throated, 54, 255. Swinburne, J., The Nest and Eggs of Regulus calendula, 97.

Sycalis arvensis, 268. columbiana, 268.

minor, 268. Sylvania canadensis, 111, 337.

mitrata, 22, 129, 314, 407. pusilla pileolata, 48, 337. Sylvia roscoe, 11, 66.

Symphemia semipalmata, 328, 374. 388.

Synallaxis griseiventris, 382. Syrnium nebulosum, 101, 231, 286, 328.

Syrrhaptes paradoxus, 87.

TACHYCINETA albiventris, 266. bicolor, 312. 322. thalassina, 49, 54, 260, 279.

Tachyphonus cristatus, 267. luctuosus, 267.

melaleucus, 267. Tackzanowski, L., death of, 218. Tænioptera nengeta, 269.

Talbot, D. H., Harlan's Hawk, 285. Tanager, Hepatic, 260.

Louisiana, 55, 260. Scarlet, 112, 125, 311. Summer, 55, 125, 311.

Tanagra episcopus, 132, 267. episcopus leucoptera, 267. palmarum, 132, 267. palmarum melanoptera, 267.

Tchitrea affinis, 353. Teal, Blue-winged, 51, 332. Cinnamon, 51

European, 294. Tephrodornis grisola, 351.

hirundinaceus, 352. Terpsiphone affinis, 353, 354.

Tern, Arctic. 84. Common, 327. Forster's, 327. Gull-billed, 327. Least. 306, 327, 410. Roseate, 327. Royal, 306.

Sooty, 306. Tetrao tetrix, 390. 397. urogallus, 397.

Thamnophilus affinis, 384. doliatus mexicanus, 384.

puncticeps, 38o. Thompson, E. E., Evening and Pine Grosbeaks in Ontario, 211. Thrasher, 110, 130.

Thrasher, Brown, 115, 130, 369.
Thrush, Audubon's, 292.
Audubon's Hermit, 263.
Brown, 107.
Dwarf Hermit, 263.
Gray-cheeked, 119.
Hermit, 108, 110, 113, 120, 295.
Olive-backed, 119, 292.
Swainson's 110, 113.
Willow, 292.
Wilson's, 119.
Wood, 119, 130.
Thryophilus albipectus, 266.

Thryophilus albipectus, 266. galbraithi, 266. leucotis, 265, 266. superciliaris, 265. tænioptera, 266.

tænioptera, 266.
Thryothorus bewickii, 130, 291.
bewickii bairdi, 48.
coraya, 385.
genibarbis, 384.
herberti, 266.
longipes, 384.
ludovicianus, 34, 59, 60, 116,
130, 291, 312.
ludovicianus berlandieri, 5760, 116.
ludovicianus lomitensis, 58-

60, 63, ludovicianus miamensis, 59, 115, 223, 305, 312, macrurus, 384, mysticalis, 384.

mysticalis, 384.
Thurber, E. C., Callipepla squamata in Northeastern New Mexico, 89.

Timalia nigricollis, 350. Tit, Least, 82.

Titmouse, Plain, 55.
Tufted, 81, 85, 119, 130.
Tityra nigriceps, 381.
personata, 381.

Todirostrum cinereum, 233, 269. maculatum, 269.

Todus macrorhynchus, 357.Toppan, G. L., Myadestes townsendii in Nebraska, 408.

Totanus flavipes, 321, 374. melanoleucus, 321. solitarius, 133, 377-379. solitarius cinnamomeus, 377-379.

Towhee, 114, 125, 242, 295. Abert's, 27-29. Cañon, 22-27. Green-tailed, 259. St. Lucas, 23. Spurred, 82. White-eyed, 80. Treat, W. E., Mortality among Bank Swallows, 96. Trichophorus caniceps, 349. Tringa alpina pacifica, 321. bairdii, 89, 230. canutus, 294. maculata, 332. minutilla, 230, 308. Trochilus alexandri, 255.

rochilus alexandri, 255. calliope, 279. colubris, 38, 84, 85, 114, 206, 286, 310, 333, 391, 393. heloisa, 215. platycercus, 48, 54, 255, 279. rufus, 48.

Troglodytes aëdon, 83, 84, 117, 232, 291. aëdon aztecus, 49, 262, 297. fumigatus, 276. fumigatus kurilensis, 276. hiemalis, 82, 113, 232, 291,

Trogon collaris, 382. diardi, 359. duvauceli, 359. kasumba, 359. mexicanus, 278, 279. puella, 278.

Tryngites subruficollis, 332. Turdinus atrigularis, 350. Turdus aliciæ, 119, 322. aonalaschkæ, 263. aonalaschkæ auduboni, 49,

191, 263, 292. aonalaschkd pallasii, 108, 110, 113, 120, 191, 199, 295. ferrugineus, 135. fuscescens, 110, 119, 199, 337. fuscescens salicicolus, 292. interpres, 348.

mustelinus, 30, 77, 119, 130, 199, 392.
saturninus, 135.
sequoiensis, 66.
sordidus, 357.
ustulatus, 191.
ustulatus swainsoni, 110, 113, 119, 191, 292, 337.
Turkey, Florida Wild, 376.

Mexican, 52. Wild, 36, 390, 391, 393, 394, 396, 397.

Turnstone, 309. Tyrannulus elatus, 270. reguloides, 270.

Tyrannus albogularis, 271. dominicensis, 311, 373, 375. melancholicus, 270. niveigularis, 271. Tyrannus tyrannus, 38,111, 311, 328, 340, 368. verticalis, 255,\*279. vociferans, 255.

ULULA cinerea, 206, 395.
Upucerthia propinqua, 274.
Uranomitra ellioti, 275.
quadricolor, 275.
Urinator arcticus, 320.
imber, 85, 199, 320, 389, 393, 397.
lumme, 88, 230, 320.
Urubitinga anthracina, 48.

VEERY, 110. Vireo altiloquus barbatulus, 14, 312. atricapillus, 215. bellii, 80, 85, 215. bellii pusillus, 215. chivi agilis, 266. flavifrons, 15, 126, 217, 312, 335 flavoviridis, 329, 335, gilvus, 15, 217. gilvus swainsoni, 49, 260. noveboracensis, 15, 17, 127, 217, 312. noveboracensis maynardi, 15, 17, 305, 312. olivaceus, 15, 107, 108, 110, 125, 217, 312, 329, 335. philadelphicus, 335, 403. solitairus, 15, 110, 111, 200, solitarius alticola, 126. solitarius cassini, 191. solitarius plumbeus, 49, 191, 260. vicinior, 215. vicinior californicus, 159. Vireo, Bell's, 80, 85. Black-whiskered, 14, 312. Blue-headed, 15, 110. California Gray, 159. Key West, 15. Mountain Solitary, 126. Philadelphia, 403. Plumbeous, 260. Red-eyed, 15, 107, 108, 110, 125, 312, 329. Solitary, 111. Warbling, 15. Western Warbling, 260. White-eyed, 15, 17, 127, 312. Yellow-green, 329. Yellow-throated, 15, 126, 312. Volvocivora schierbrandii, 352.

Vulture, Black, 36. Turkey, 36, 53, 204. WALKER, M. L., notice of her paper, 'On the Form of the Quadrate Bone in Birds,' 198.

Wamp, 318.
Warbler, Audubon's, 261.
Bachman's, 16, 313.
Black-and-white, 16, 127, 313.
Black-and-yellow, 111.
Blackburinan, 20, 127, 336.
Blackpoll, 19, 112, 313.
Black-throated Blue, 18, 313, 406.

Black-throated Green, 20, 111, 128, 314.
Blue-winged, 17, 313.
Blue-winged Yellow, 214.
Canadian, 111.
Cape May, 18, 313.
Cerulean, 19, 291, 313.
Chestnut-sided, 111, 127, 404-407.
Connecticut, 21.
Golden-winged, 17, 127, 404.

Grace's, 261.

Hooded, 22, 129, 314, 407.

Kentucky, 21, 81, 129, 314.

Macgillivray's, 336.

Magnolia, 19.

Mourning, 295.

Myrtle, 19, 313.

Nashville, 408.

Olive, 261.

Orange-crowned, 18, 96, 290.

Palm, 20, 314.

Parula, 18, 127, 313.

Pine, 20, 128, 323, 324.

Prairie, 21, 128, 314, 325.

Prothonotary, 16, 313.

Red-faced, 261.

Swainson's, 16, 84, 90, 313, 403.

403.
Sycamore, 20, 127, 313.
Tennessee, 18.
Worm-eating, 16, 127, 313.
Yellow, 18, 127.
Yellow Palm, 20, 314.
Yellow-rumped, 96, 342.
Yellow-throated, 20, 97, 305, 313, 323.

Waterhouse, F. H., notice of his 'Index Generum Avium,' 71.

Water-thrush. 21, 314. Grinnell's, 314. Louisiana, 21, 128.

Waxwing, Cedar, 86, 125.
Wayne, A. T., An Early Date of a
Rare Bird in South Carolina, 88;
A Curious Specimen of the Yellow-throated Warbler (Dendroica
dominica), 97; Spotted Eggs of

Swainson's Warbler, 403; Two Notes from South Carolina, 410.

Wheatear, 294. Whippoorwill, 38, 83, 114.

Dutch, 38. White, G. R., Capture of a Specimen of Somateria dresseri in the Vicinity of Ottawa, Canada, 204; The Dowitcher at Ottawa, 400.

Whitfield, R. P., Former Abundance of the Wild Pigeon in Central and Eastern New York, 284. Widgeon, 88, 204, 283.

European, 397.

Willet, 328, 388. Williams, R. S., Myadestes townsendii Wintering in Montana. 98; The Breeding Ranges and Songs of Three Thrushes in Montana, 202.

Wintle, E. D., The Evening Gros-beak at Montreal, 209; Helminthophila celata at Montreal, 290.

Woodcock, 39c-398. Woodpecker, Alpine Three-toed,

252. Arctic Three-toed, 206. Baird's, 251. Batchelder's 62, 252. Cabanis's, 252. Californian, 48.

Downy, 37, 109. Golden-winged, 391. Hairy, 109, 395.

Lewis's, 254. Pigeon, 107. Pileated, 37, 81, 109, 339,

389, 400. Red-bellied, 38, 206, 339,

Red-headed, 38, 83, 84, 85. Southern Hairy, 37. Yellow-bellied, 101, 109.

Yellow-faced, 401.
Woodruff, L. B., Baird's Sandpiper at New Haven, Connecticut, 89.

Worthington, W. W., The Ipswich Sparrow in Georgia, 211; The King Eider (Somateria spectabilis) at Brunswick, Ga., 284.

Wren, Berlandier's, 57.

Wren, Bewick's, 130, 291. Carolina, 130, 312. Florida, 115. House, 84, 117. Lomita, 58, 64. Long-billed Marsh, 117, 408

Marian's Marsh, 117. Rock, 54. 262. Short-billed Marsh, 56, 117.

291. Western House, 262. Winter, 82, 113, 407.

XANTHOCEPHALUS xanthocephalus, 49, 257. Xanthosomus icterocephalus, 269.

Xanthoura luxuosa, 192.

luxuosa guatemalensis, 192. Xema sabinii, 227.

Xiphocolaptes cinnamomeus, 272. emigrans costaricensis, 272. ignotus, 272.

major castaneus, 272. sclateri, 272. virgatus, 272.

Xiphorhynchus dorsoimmaculatus, 274

falcularius 274. flavigaster, 164, 178. procurvus, 274. rufodorsalis, 274. venezuelis, 274.

YELLOWBIRD, Summer, 81, 82. Yellowhammer, 38. Yellowthroat, Florida, 11, 63. Maryland, 9, 21, 96, 129, 314, 408.

ZENAIDA zenaida. 375. Zenaidura macroura, 36, 53, 77, 82,

83, 230, 297, 333. Zonotrichia albicollis, 96, 110, 111, 112, 241, 295, 322, 409. gambeli, 65, 96.

intermedia, 65, 96. leucophrys, 27, 49, 96, 111, 241, 259, 322. leucophrys gambeli, 65, 96. leucophrys intermedia, 27,

65, 96, 259, 296, 297. querula, 82, 241. vulcani, 193.

## ERRATA.

Page 211, foot-note, at end of last line, add-ED.

" 214, lines 7 and 8 from bottom, for "Thos. L. ROBERTS," read THOS. S. ROBERTS.

" 233, line 3, for "CHERIE," read CHERRIE.

" 290, line 7 from bottom, dele "as."

